



## Slings Overview

Round slings are fully compliant with Australian Standard 4497. Each sling is proof load tested at manufacture and a test certificate is packaged with the sling.

Part No.	WLL (Tonnes)	Overall Length (mm)
WR0110T	1	1000
WR0120T	1	2000
WR0130T	1	3000
WR0140T	1	4000
WR0150T	1	5000
WR0160T	1	6000
WR0210T	2	1000
WR0220T	2	2000
WR0230T	2	3000
WR0240T	2	4000
WR0250T	2	5000
WR0260T	2	6000
WR0310T	3	1000
WR0320T	3	2000
WR0340T	3	4000
WR0330T	3	3000
WR0350T	3	5000
WR0360T	3	6000
WR0410T	4	1000
WR0420T	4	2000
WR0430T	4	3000
WR0440T	4	4000
WR0450T	4	5000

Part No.	WLL (Tonnes)	Overall Length (mm)
WR0460T	4	6000
WR0510T	5	1000
WR0520T	5	2000
WR0530T	5	3000
WR0540T	5	4000
WR0550T	5	5000
WR0560T	5	6000
WR0620T	6	2000
WR0630T	6	3000
WR0640T	6	4000
WR0650T	6	5000
WR0660T	6	6000
WR0680T	6	8000